

# DIN-Rail Power Supply Unit TDK Lambda DSP 10-24

	INSYS product									
	MoRoS series	INSYS series	IMO series	EBW series	MLR series	Pocket Modem	19" series	Embedded Modules	SGM PilotBox	
WLAN antennae	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cellular antennae	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Power supplies	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Connection cable LOGO!™	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Connection cable easy™	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Accessories



## The right power for our communication devices

No power without juice. This also applies to our products. You'll get a DIN rail power supply unit that is evaluated by us and perfectly suitable for INSYS icom solutions with the TDK Lambda DSP 10-24.

Technically mature and space-saving, this power supply unit is completely sufficient for most applications.

## Features

- Ideal for products of the INSYS & MoRoS series
- Output voltage: 24 V DC
- Input voltage: 120-370 V DC  
90-264 V AC
- Size: 91 x 18 x 55,6 mm
- DIN rail mounting

## Technical data

### Power Supply Unit TDK Lambda DSP 10-24

<b>TDK Lambda DSP 10-24</b>	
AC input voltage	90-264 V AC, Class 2
Input frequency	47-63 Hz
DC input voltage	120-370 V DC
Switch-on current (115/230 V AC)	15/30 A
Output voltage	24 V DC
Max. output current	0.42 A
Output power	10 W
Accuracy of output voltage	± 1%
Efficiency	80 %
LED indicators	Green LED = On, Red LED = DC output low
Standards/Certificates	UL1310 Class 2 (2), UL508 Listed, UL60950-1, EN60950-1, CE
<b>Physical features</b>	
Size (LxWxH)	91 x 18 x 55,6 mm
Weight	60 g
Operating temperature	-25 ... +71°C
Humidity	20...95% (non condensing)

<b>Product description</b>	<b>Order number</b>
TDK Lambda DSP 10-24	AC/DC power supply for DIN rail mounting 10014249

© INSYS 130218 - Subject to change without notice. Errors and omissions excepted.